Safety Data Sheet



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/18/2019 Version: 1.0

### **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Inkjet printing Recommended use : Ink and Toners

Restrictions on use : No additional information available

1.3. Supplier

Memjet Ltd. Memjet

61-62 Fitzwilliam Lane

Dublin, Ireland

San Diego, CA 92127 - USA

T +353 1 678 0420 - F +1-858-798-3044 T 858 673 3300 <u>msds@memjet.com-www.memjet.com</u> www.memjet.com

1.4. Emergency telephone number

Emergency number : For Hazardous Materials Incidents (spill, leak, fire, exposure, or accident) call: CHEMTREC:

U.S. 1-800-424-9300 International: +1-703-527-3887

CHEMTREC (24 HOURS)

### SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

**GHS US classification** 

Eye Irrit. 2 H319 Causes serious eye irritation

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure

Full text of hazard classes and H-statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : H319 - Causes serious eye irritation

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) : P260 - Do not breathe mist, spray.

P264 - Wash hands thoroughly after handling. P280 - Wear eye protection, protective gloves.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P314 - Get medical advice/attention if you feel unwell.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

4% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

7% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

7% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

02/18/2019 EN (English US) SDS ID: MemjetNiaMag Page 1

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Water	(CAS-No.) 7732-18-5	<80	Not classified
Ethylene glycol	(CAS-No.) 107-21-1	<9	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Glycerol	(CAS-No.) 56-81-5	1 - 5	Not classified
Ethoxylated acetylenic diols	(CAS-No.) 1606-85-5	1 - 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
Proprietary magenta dye	(CAS-No.) not assigned	1-5	Eye Irrit. 2A, H319 Aquatic Chronic 2, H411
2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate	(CAS-No.) 9014-85-1	1 - 1.5	Eye Dam. 1, H318 Aquatic Chronic 3, H412

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

First-aid measures after skin contact : Gently wash with plenty of soap and water.

First-aid measures after eye contact : If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

### 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

symptoms

: Causes serious eye irritation.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

No special procedures required.

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Presents no particular fire or explosion hazard.

Explosion hazard : Product is not explosive.

Reactivity : No dangerous reactions known.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use extinguishing media appropriate for

surrounding fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Wear fire/flame resistant/retardant clothing. Wear a self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all eye and skin contact and do not breathe vapor and mist.

6.1.1. For non-emergency personnel

Protective equipment : Avoid contact with skin and eyes. Wear suitable gloves, butyl rubber gloves, natural rubber

gloves.

Emergency procedures : Evacuate unnecessary personnel. Stop leak, if possible without risk.

02/18/2019 EN (English US) SDS ID: MemjetNiaMag 2/9

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.1.2. For emergency responders

Protective equipment

: Avoid all eye and skin contact and do not breathe vapor and mist. Wear suitable protective clothing and gloves. butyl rubber. rubber. Use eye protection designed to protect against liquid splaces.

Emergency procedures

: Stop leak if safe to do so.

### 6.2. Environmental precautions

Do not discharge into drains or the environment.

### 6.3. Methods and material for containment and cleaning up

No additional information available

### 6.4. Reference to other sections

Section 7: safe handling. Section 8: personal protective equipment. Section 13: disposal information.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Hygiene measures : Wash hands, forearms and face thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Store away from heat.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Glycerol (56-81-5)		
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total) 5 mg/m³ (respirable fraction)

### Ethoxylated acetylenic diols (1606-85-5)

Not applicable

### 2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)

Not applicable

### Water (7732-18-5)

Not applicable

### Proprietary magenta dye (not assigned)

Not applicable

Ethylene glycol (107-21-1)		
ACGIH	Local name	Ethylene glycol
ACGIH	ACGIH TWA (ppm)	25 ppm
ACGIH	ACGIH STEL (mg/m³)	10 mg/m³
ACGIH	ACGIH STEL (ppm)	50 ppm
ACGIH	ACGIH Ceiling (mg/m³)	100 mg/m³
ACGIH	ACGIH Ceiling (ppm)	39.4 ppm
ACGIH	Remark (ACGIH)	Kidney dam; URT & eye irr

### 8.2. Appropriate engineering controls

Appropriate engineering controls

: Avoid splashing. No special work practices are needed beyond the above recommendations under anticipated conditions of normal use.

### 8.3. Individual protection measures/Personal protective equipment

### Hand protection:

Wear suitable gloves. butyl rubber gloves. natural rubber gloves.

### Eye protection:

Use splash goggles when eye contact due to splashing is possible.

 02/18/2019
 EN (English US)
 SDS ID: MemjetNiaMag
 3/9

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Magenta Liquid.
Color : Magenta
Odor : odorless

Odor threshold : No data available

pH : 7.1

Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available

Relative vapor density at 20 °C : > 1

Relative density No data available Solubility : No data available Log Pow No data available Auto-ignition temperature : No data available : No data available Decomposition temperature Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosive limits** No data available : No data available Explosive properties Oxidizing properties : No data available

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Keep away from: Incompatible materials.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

(Based on available data, the classification criteria are not met)

 02/18/2019
 EN (English US)
 SDS ID: MemjetNiaMag
 4/9

# Natura v2 Magenta Safety Data Sheet

LC50 fish 1

ccording to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
Glycerol (56-81-5)		
LD50 oral rat	5570 mg/kg	
ATE US (oral)	5570 mg/kg body weight	
Ethoxylated acetylenic diols (1606-85-5)		
LD50 oral rat	1230 mg/kg (Based on similar product)	
ATE US (oral)	1230 mg/kg body weight	
2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxy	late (9014-85-1)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 2 mg/l/4h	
Ethylene glycol (107-21-1)		
LD50 dermal rat	> 3500 mg/kg mouse	
LC50 inhalation rat (mg/l)	> 2.5 mg/l/4h	
ATE US (oral)	500 mg/kg body weight	
Skin corrosion/irritation		
	: Not classified. (Based on available data, the classification criteria are not met)	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)	
Ethoxylated acetylenic diols (1606-85-5)		
IARC group	Not listed in carcinogenicity class	
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)	
Specific target organ toxicity – single exposure	: Not classified (Based on available data, the classification criteria are not met)	
Specific target organ toxicity – repeated	: May cause damage to organs through prolonged or repeated exposure.	
exposure		
2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxy	late (9014-85-1)	
NOAEL (subacute,oral,animal/male,28 days)	200 mg/kg body weight	
athulana aluaal (407.04.4)		
ethylene glycol (107-21-1)  LOAEL (oral,rat,90 days)	1000 mg/kg bodyweight/day	
NOAEL (oral,rat,90 days)	150 mg/kg bodyweight/day kidney	
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)	
•	,	
Likely routes of exposure	: Skin and eye contact.	
Potential Adverse human health effects and symptoms	: Causes serious eye irritation.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	
SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: May cause long lasting harmful effects to aquatic life.	
	. may eaded long lating harman ended to aquatio inc.	
Glycerol (56-81-5)	20. 70	
LC50 fish 1	68 - 72 mg/l	
2.4.7.0 Totromothyl E dogyno 4.7 dial othovy	1-4- (0044 OF 4)	

2000 Herr 1	00 12 mg/
2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)	
LC50 fish 1	52.5 mg/l juvenile S. maximus
EC50 Daphnia 1	166 mg/l
ErC50 (algae)	15 mg/l
NOEC chronic algae	1 mg/l
ethylene glycol (107-21-1)	

02/18/2019	EN (English US)	SDS ID: MemietNiaMag	5/9

72860 mg/l Pimephales promelas

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethylene glycol (107-21-1)	
EC50 Daphnia 1	> 100 mg/l
NOEC chronic fish	15380 mg/l Pimephales promelas
NOEC chronic crustacea	8590 mg/l Ceriodaphnia sp.

### 12.2. Persistence and degradability

Natura v2 Magenta	
Persistence and degradability	Not established.
Glycerol (56-81-5)	
Persistence and degradability	Readily biodegradable.

## 2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)Persistence and degradabilityNot readily biodegradable.

Ethylene glycol (107-21-1)	
Persistence and degradability	Readily biodegradable.

### 12.3. Bioaccumulative potential

2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)	
Bioconcentration factor (BCF REACH)	< 24
Bioaccumulative potential	Not expected to bioaccumulate.

Ethylene glycol (107-21-1)	
Log Pow	- 1.36
Bioaccumulative potential	Not expected to bioaccumulate.

### 12.4. Mobility in soil

Natura v2 Magenta	
Ecology - soil	No additional information available.

### 12.5. Other adverse effects

Other information : Do not discharge into drains or the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods : Do not remove as household garbage. Dispose in a safe manner in accordance with

local/national regulations.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

### Department of Transportation (DOT)

In accordance with DOT

Not applicable

### **Transportation of Dangerous Goods**

Not applicable

### Transport by sea

Not regulated.

### Air transport

Not regulated.

 02/18/2019
 EN (English US)
 SDS ID: MemjetNiaMag
 6/9

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

ethylene glycol CAS-No. 107-21-1 8%

### Glycerol (56-81-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Ethoxylated acetylenic diols (1606-85-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

### Proprietary magenta dye (not assigned)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### Ethylene glycol (107-21-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CERCLA RQ 5000 lb

### 15.2. International regulations

### CANADA

### Glycerol (56-81-5)

Listed on the Canadian DSL (Domestic Substances List)

### Ethoxylated acetylenic diols (1606-85-5)

Listed on the Canadian DSL (Domestic Substances List)

### 2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)

Listed on the Canadian DSL (Domestic Substances List)

### Proprietary magenta dye (not assigned)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

### Ethylene glycol (107-21-1)

Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

### Glycerol (56-81-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Ethylene glycol (107-21-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### National regulations

### Glycerol (56-81-5)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on Taiwan National Chemical Inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on NZIoC (New Zealand Inventory of Chemicals)

02/18/2019 EN (English US) SDS ID: MemjetNiaMag 7/9

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Ethylene glycol (107-21-1)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on Taiwan National Chemical Inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

### 15.3. US State regulations



This product can expose you to ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ethylene glycol (107-21-1)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	No	No		8700 μg/day (oral)
U.S California - Proposition 65 - Other information		Ingestion			

### Glycerol (56-81-5)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

### Ethylene glycol (107-21-1)

U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

U.S. - Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

Data sources

: ACGIH (American Conference of Government Industrial Hygienists).

European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <a href="http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database">http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database</a>.

National Fire Protection Association; Fire Protection Guide to Hazardous Materials; 10th edition.

Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.

Manufacturer Information.

US National Library of Medicine National Institutes of Health Haz-Map. Accessed at <a href="http://hazmap.nlm.nih.gov">http://hazmap.nlm.nih.gov</a>.

### Full text of H-phrases:

<u> </u>		
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2	

02/18/2019 EN (English US) SDS ID: MemjetNiaMag 8/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H302	Harmful if swallowed	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H373	May cause damage to organs through prolonged or repeated exposure	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

### Abbreviations and acronyms:

ACGIH (American Conference of Government Industrial Hygienists)
ATE Acute Toxicity Estimate
CAS (Chemical Abstracts Service) number
CLP: Classification, Labelling, Packaging.
EC50: Environmental Concentration associated with a response by 50% of the test population.
GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
LD50: Lethal Dose for 50% of the test population
TWA: Time Weighted Average


NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can

occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



SDS Prepared by: The Redstone Group

6077 Frantz Rd. Suite 206

Dublin, OH USA 43017 T 614-923-7472 www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/18/2019 EN (English US) SDS ID: MemjetNiaMag 9/9